High-Risk Property Checklist



Area/Hazard	Actions to Consider	
The Church Baptistry		
Extreme temperatures	Monitor temperatures to avoid water that is too hot or cold. Check the temperature the morning of a baptism and again right before the ceremony to make sure it hasn't changed.	
Drowning	Cover the baptistry securely when not in use. Supervise children and others while the tank contains water. Drain the tank promptly after the service.	
Electrocution	Avoid using wired sound equipment. Instead, use a wireless microphone. Only use a heater designed for water use, have it professionally installed and inspect it regularly.	
Injuries	Prevent falls with handrails and no-slip surfaces on stairs and walkways.	
Water damage	An overflowing baptistry can cause water damage to floors, walls and equipment. Monitor the water level closely while the tank is filling. Inspect pipes periodically.	
Mold	Drain and clean the tank after baptisms. Do not allow used water to sit for long periods.	
The Church Plays	jround	
Surface materials	Use acceptable surface materials (such as woodchips, crumb rubber, engineered wood fiber, sand, mulch or pea gravel) to cushion falls. ¹	
Surface areas	Ensure that surfacing extends a minimum of 6 feet in all directions from play equipment. Extend safe surfacing further for in front of and behind swings by twice the height of the suspending bar. ²	

continued on next page

The Church Playground (continued)		
Hazards	Remove tripping hazards and check for sharp edges or protruding components. Ensure that spaces in equipment that could trap children measure less than 3.5 inches or more than 9 inches. ²	
Inspections	Inspect playground equipment regularly for damage, cracks, rust, loose anchoring, trash and vandalism. ³	
Repairs	Restrict access to equipment that needs repair. Post a sign indicating that the equipment is not in use.	
Supervision	During church activities, provide proper supervision by staff or volunteers.	
The Church Parking Lot		
Lighting	Keep the parking lot well-lit for high visibility.	
Signage	Mark entrances, exits, speed limits and other important information with clear signage.	
Crosswalks	Mark crosswalks to help keep pedestrians safe as they travel from their cars to your building.	
Accessible parking spaces	Designate parking spaces that comply with accessibility regulations for those with disabilities.	
Inspection	Regularly inspect the parking lot for tripping hazards such as rocks, debris and trash. Practice routine maintenance to repair potholes and replace light bulbs as needed.	
Handrails	Install handrails near steps and ramps to make navigation easier.	

continued on next page

The Church Parking Lot (continued)		
Church video surveillance	Video monitoring can help deter criminals, make your congregation feel safer and assist police in identifying perpetrators.	
Landscaping	Minimize shrubs and other landscaping that could serve as a hiding place for criminals.	
Financial Services and Insurance Solutions for Every Season of Ministry™		
For more information, contact us at InsuranceSolutions@GuideStone.org or (214) 720-2868, Monday through Thursday, from 7 a.m. to 4:30 p.m. CT and Friday, from 7 a.m. to 4 p.m. CT.		
This checklist is for informational purposes only. It is not intended to be construed as legal advice. Readers should use this article as a tool, along with best judgment and any terms or conditions that apply, to determine appropriate policies and procedures for your church's risk management program.		
¹ cehn.org/our-work/eco-healthy-child-care/ehcc-faqs/playground-surfaces		
² cpsc.gov/safety-education/safety-guides/playgrounds/public-playground-safety-checklist		
³ nrpa.org/siteassets/the-daily-dozen-12-point-playground-safety-checklist.pdf		